

Publications of Dr. Tarun Kumar Naiya

1. Bhattacharya, A. K., T. K. Naiya, S. N. Mandal and S. K. Das, Adsorption, Kinetics and Equilibrium studies on removal of Cr(VI) from aqueous solutions using different low-cost adsorbents, *Chemical Engineering Journal*, 137(3) (2008) 529-541, IF : 13.273. Q1
2. Naiya, T. K., A. K. Bhattacharya and S. K. Das, Adsorption of Pb (II) by saw dust and neem bark from aqueous solutions, *Environmental Progress*, 27 (2008) 313-328, IF : 2.80. Q2
3. Naiya, T. K., A. K. Bhattacharya and S. K. Das, Removal of Cd(II) from aqueous solutions using clarified sludge, *Journal of Colloid and Interface Science*, 325 (2008) 48-56, IF : 8.128, Q3
4. Naiya, T. K., A. K. Bhattacharya, S. N. Mandal and S. K. Das The sorption of Lead(II) ions on rice husk ash, *Journal of Hazardous Material* 163 (2009) 1254-1264, IF : 14.224, Q1
5. Naiya, T. K., P. Chowdhury, A. K. Bhattacharya and S. K. Das, Saw dust and neem bark as low cost natural biosorbent for adsorptive removal of Zn(II) and Cd(II) ions from aqueous solutions, *Chemical Engineering Journal*, 148 (2009) 68-79., I.F. : 13.273, Q1
6. Naiya, T. K., A. K. Bhattacharya and S. K. Das, Adsorption of Cd(II) and Pb(II) from aqueous solutions on activated alumina, *Journal of Colloid and Interface Science*, 333 (2009) 14-26, IF : 8.128. Q1
7. Naiya, T. K., A. K. Bhattacharya and S. K. Das, Adsorptive removal of Cd(II) ions from aqueous solutions by rice husk ash, *Environmental Progress and Sustainable Energy* 28 (2009) 535-546
IF : 2.80, Q2
8. Naiya, T. K., A. K. Bhattacharya and S. K. Das, Clarified Sludge (basic oxygen furnace sludge) – An adsorbent for removal of Pb(II) from aqueous solutions – kinetics, thermodynamics and desorption studies, *Journal of Hazardous Material* 170 (2009) 252-262, IF : 14.224. Q1
9. Naiya, T. K., A. K. Bhattacharya, D. Sarkar and S. K. Das, Applicability of shrinking core model on the adsorption of heavy metals by clarified sludge from aqueous solution, *Adsorption* 15 (2009) 354-364, IF : 2.318. Q2
10. S Banerjee, R Kumar, A Mandal, TK Naiya Use of a novel natural surfactant for improving flowability of Indian heavy crude oil, *Petroleum Science and Technology* 33 (7) (2015) 819-826, IF : 1.268. Q2
11. Kumar, R., Banerjee, S., Kumar, N., Mandal, A., T. K. Naiya, Comparative Studies on Synthetic and Naturally Extracted Surfactant for Improving Rheology of Heavy Crude Oil, *Petroleum Science and Technology* 33 (Issue 10) (2015) 1101-1109, IF : 1.268. Q2
12. Banerjee, S., Kumar, R., Mandal, A. and Naiya, T.K., 2015. Effect of natural and synthetic surfactant on the rheology of light crude oil. *Petroleum Science and Technology*, 33(15-16), pp.1516-1525,
IF : 1.268. Q2
13. R Kumar, S Banerjee, A Mandal, TK Naiya, Improvement in transportability of Indian heavy crude oil using novel surfactant, *Indian Journal of Chemical Technology* 23 (4) (2016) 262-270, IF : 0.76. Q4

14. TK Naiya, SK Das, Removal of Cr (VI) from aqueous solution using fly ash of different sources, *Desalination and Water Treatment*, 57 (13) (2016) 5800-5809, IF : 1.234. Q4
15. Banerjee, S., Kumar, R., Ansari, I., Mandal, A. and Naiya, T.K., 2016. Effect of extracted natural surfactant on flow behaviour of heavy crude oil. *International Journal of Oil, Gas and Coal Technology*, 13(3), pp.260-276. IF : 0.723 Q4
16. R Kumar, S Banerjee, A Mandal, TK Naiya, Flow improvement of heavy crude oil through pipelines using surfactant extracted from soapnuts, *Journal of Petroleum Science and Engineering*, 152 (2017) 353-360, IF : 5.168. Q1
17. M Gudala, S Banerjee, A Kumar, RM Rao T, A Mandal, TK Naiya, Rheological modeling and drag reduction studies of Indian heavy crude oil in presence of novel surfactant, *Petroleum Science and Technology* 35 (24) (2017) 2287-2295, IF : 1.268. Q2
18. S Banerjee, R Kumar, A Akhtar, R Bairagi, A Mandal, TK Naiya, Effect of pour point depressant on wax deposition and drag reduction in horizontal pipelines, *Petroleum Science and Technology*, 35 (6) (2017) 561- 569, IF : 1.268. Q2
19. Banerjee, S., Kumar, S., Mandal, A. and Naiya, T.K., 2017. Design of novel chemical solvent for treatment of waxy crude. *International Journal of Oil, Gas and Coal Technology*, 15(4), pp.363-379. IF : 0.723 Q4
20. Kumar, R., Banerjee, S., Mandal, A. and Naiya, T.K., 2017. Investigation of novel extracted surfactant on rheological properties of heavy crude oil. *International Journal of Oil, Gas and Coal Technology*, 14(4), pp.354-368. IF : 0.723 Q4
21. R Kumar, S Banerjee, A Banik, TK Bandyopadhyay, TK Naiya, Simulation of single phase non-Newtonian flow characteristics of heavy crude oil through horizontal pipelines, *Petroleum Science and Technology* 35 (6) (2017) 615-624, IF : 1.268. Q2
22. M Gudala, S Banerjee, RM Rao T, T K Naiya, A Mandal, The effect of bio additive on the viscosity and energy requirement for heavy crude oil flow, *Petroleum Science and Technology*, 36 (2018) 99-107, IF : 1.268. Q2
23. R Kumar, S Banerjee, A Mandal, TK Naiya, Flow improvement of heavy crude oil through pipelines using surfactant extracted from soapnuts, *Journal of Petroleum Science and Engineering*, 152 (2017) 353-360, IF : 5.168. Q1
24. R Kumar, GS Bora, S Banerjee, A Mandal, T K Naiya, Application of naturally extracted surfactant from *Madhuca longifolia* to improve the flow properties of heavy crude oil through horizontal pipeline, *Journal of Petroleum Science and Engineering* 168 (2018) 178 – 189, IF : 5.168. Q1
25. Raipuria, V., Rani, N., Sharma, V.P. and Naiya, T.K., 2018. Use of nanoparticle derived from natural source and its application in drilling fluid. *International Journal of Oil, Gas and Coal Technology*, 19(3), pp.283-295. IF : 0.723 Q4
26. M Gudala, S Banerjee, R Kumar, T R M Rao, A Mandal, T K Naiya, Experimental Investigation on Hydrodynamics of Two-Phase Crude Oil Flow in Horizontal Pipe With Novel Surfactant, *Journal of*

27. Sanjiv Kumar, Tarun Kumar Naiya, Tarkeshwar Kumar, Developments in oilfield scale handling towards green technology-A review, *Journal of Petroleum Science and Engineering* 169 (2018) 428-444, IF : 5.168, Q1
28. Manojkumar Gudala, Shirsendu Banerjee, Tarun Kumar Naiya, Ajay Mandal , Subbaiah T. C., Rama Mohan Rao T., Hydrodynamics and energy analysis of heavy crude oil transportation through horizontal pipelines using novel surfactant, *Journal of Petroleum Science and Engineering* 178 (2019) 140-151
IF : 5.168. Q1
29. M Gudala, S Banerjee, TK Naiya, GS Kumar, Experimental and Correlation Development of Heavy oil viscosity using bio-additives, *Energy & Fuels* 33 (2019) 6313-6326, IF : 3.421. Q1
30. A Azeem, R Kumar, B Pal, TK Naiya, Use of novel pour point depressant synthesized from vegetable oil for waxy crude oil, *Petroleum Science and Technology* 38 (2020) 185-193, IF : 1.268. Q2
31. S Quereshi, KK Pant, S Dutta, TK Naiya, Unfolding the role of molybdenum disulfide as a catalyst to produce platform chemicals from biorenewable resources, *Biomass Conversion and Biorefinery*, <https://doi.org/10.1007/s13399-020-00888-7> 1-14 (2020), IF : 2.602. Q2
32. S Quereshi, TK Naiya, A Mandal, S Dutta, Residual sugarcane bagasse conversion in India: current status, technologies, and policies, *Biomass Conversion and Biorefinery*, <https://doi.org/10.1007/s13399-020-00871-2> 1-23 (2020), IF : 2.602. Q2
33. Gudala, Manojkumar; Naiya, Tarun Kumar, Govindarajan, Suresh Kumar, "Remediation of Heavy oil Transportation Problems via Pipelines using Biodegradable Additives: An Experimental and Artificial Intelligence Approach, *SPE Journal*, SPE-203824-PA 2020, IF : 3.095. Q1
34. Pal, Biswadeep, and Tarun Kumar Naiya. "Application of Synthesized Novel Biodegradable Pour-Point Depressant from Natural Source on Flow Assurance of Indian Waxy Crude Oil and Comparative Studies with Commercial Pour-Point Depressant." *SPE J.* (2021:), 27 (01): 864–876, IF : 3.095. Q1
35. Pal, B., Kumar, R. and Naiya, T.K., 2021. Demulsification of crude oil-water emulsion using naturally formulated demulsifier. *Petroleum Science and Technology*, 39(21-22), pp.1027-1042, IF : 1.268. Q2
36. Yogesh Dhandhi, Ronak Kumar Chaudhari & Tarun Kumar Naiya (2021) Development in separation of oilfield emulsion toward green technology – A comprehensive review, *Separation Science and Technology*, IF : 2.475 Q3
37. Gudala, M., Naiya, T.K. and Govindarajan, S.K., 2022. Heavy oil-water dispersed flows in horizontal pipelines using bio-additives with energy analysis: Experimental and numerical investigations. *Journal of Petroleum Science and Engineering*, p.110142 (1-17), IF : 5.168. Q1
38. Yogesh Dhandhi, Om Prakash, Tarun Kumar Naiya, Chandan Guria, Statistical design and process optimization for using chemical demulsifiers for the dehydration of the crude oil *Journal of Petroleum Science and Engineering* 217 (2022) 110876. IF : 5.168. Q1

39. Pal, B. and Naiya, T., 2022. Application of novel fruit extract for flow assurance of Indian field waxy crude oil. *SPE Journal*, 27(05), pp.3178-3195. IF : 3.095. Q1
40. Pal, B., Naiya, T.K. and Sarkhel, G., 2023. Effect of Amla Fruit (*Phyllanthus emblica*) Extract in Flow Assurance of Indian Waxy Crude Oil. *SPE Journal*, 28(02), pp.628-642. IF : 3.095. Q1
41. Dhandhi, Y., V Bhardwaj, Naiya, T. K., 2023. Application of Novel Biodegradable Demulsifier Synthesized from *Helianthus annuus* in Field Crude Oil Demulsification_ Experimental and Modeling Approach through RSM, *Industrial & Engineering Chemistry Research* 62 (44), 18621-18636, IF : 4.2, Q2
42. Dhandhi, Y., Kumar Saw, R., Singh, R. and Naiya, T.K., 2023. Application of a novel surface-active green demulsifier for demulsification of field crude oil emulsion. *Separation Science and Technology*, 58(9), pp.1654-1678. IF : 2.475. Q3
43. Dhandhi, Y., and Naiya, T.K., 2023 Synthesis of Green Polyethylene Glycol-Lauric Acid Demulsifier from a Natural Source and Its Application in Demulsification of Field Emulsion: Experimental and Modeling Approach, *SPE Prod & Oper*, SPE-215841-PA 1–15. IF : 1.4. Q3
44. Dhandhi, Y., Naiya, T.K. and Guria, C., 2024. Development of high-performance biodegradable and non-toxic demulsifier for dehydration of field crude oil emulsion: Statistical design and process optimization. *Geoenergy Science and Engineering*, 234, p.212677 (1-15). IF : 5.168. Q1
45. Dhandhi, Yogesh, Bhardwaj, Vaibhav, Saw, Rohit Kumar, and Tarun Kumar Naiya. "Demulsification of Water-in-Crude Oil Field Emulsion Using Green Demulsifier Based on *Sesamum indicum*: Synthesis, Characterization, Performance, and Mechanism." *SPE J.* (2024;): doi: <https://doi.org/10.2118/221457-PA>, IF : 3.095. Q1
46. Guin, Sampa, and Tarun Kumar Naiya. "Improvement of Flow Properties of Waxy Crude Oil through Pipeline Using Biodegradable Pour-Point Depressants Synthesized from Plant-Based Fatty Acid: Modeling and Application Studies." *SPE J.* (2025;): doi: <https://doi.org/10.2118/225437-PA>, IF : 3.095. Q1
47. S. Guin, T.K. Naiya, Enhancement of cold flowability of waxy crude oil using ecofriendly PPDs synthesized from stearic acid and lauric acid – Experimental, modelling, and mechanistic approach, *Journal of Molecular Liquids* (2025), doi: <https://doi.org/10.1016/j.molliq.2025.127363>, IF : 5.2, Q1
48. Guin, S. and Naiya, T.K., 2026. Cold flow behavior improvement of waxy crude oil using eco-friendly esterified cellulose nanocrystals synthesized from agricultural waste: Experimental studies, rheological modeling, and Mechanistic aspects. *Fuel*, 406, p.137143. doi : <https://doi.org/10.1016/j.fuel.2025.137143>, IF 7.5, Q1
49. Rebari, Chirag, and Tarun Kumar Naiya. "Application of Biodegradable Mustard Waste Extract as Corrosion Inhibitor for Oil Pipeline." Paper presented at the SPE Annual Technical Conference and Exhibition, Houston, Texas, USA, October 2025. doi: <https://doi.org/10.2118/228832-STU>
50. Guin, Sampa, and Tarun Kumar Naiya. "Performance Evaluation of Eco-Friendly PPDs Synthesized from Natural Sources for Enhancing the Cold Flow Behavior of Waxy Crude Oil." Paper presented at the SPE Annual Technical Conference and Exhibition, Houston, Texas, USA, October 2025. doi: <https://doi.org/10.2118/228843-STU>

IF : Impact Factor

Total Number of Citations : 3930

Please refer the link for Google scholar citation details:

<https://scholar.google.com/citations?user=a1GtRhAAAAAJ>