

Publications of Sanket Nayak

Journals [50]

1. Junias, J., Ranjan, N., Mohapatra, S. S. and **Nayak, S. (2026)**, “Feasibility and mechanistic insights into various strengthening techniques for augmenting the flexural performance of masonry under fatigue loading”, **Journal of Performance of Constructed Facilities, ASCE**, 40(4): 04026021, DOI: [10.1061/JPCFEV.CFENG-5165](https://doi.org/10.1061/JPCFEV.CFENG-5165).
2. Junias, J., Ranjan, N. and **Nayak, S. (2026)**, “Enhancing fatigue resilience of unreinforced masonry subjected to repeated cyclic loading: an experimental and probabilistic evaluation”, **European Journal of Environmental and Civil Engineering, Taylor & Francis**, 30 (1), 2604292, DOI: [10.1080/19648189.2025.2604292](https://doi.org/10.1080/19648189.2025.2604292).
3. Junias, J. and **Nayak, S. (2026)**, “Augmenting masonry impact resistance: Experimental investigation and statistical reliability assessment”, **Engineering Structures, Elsevier**, 348, 121821, DOI: [10.1016/j.engstruct.2025.121821](https://doi.org/10.1016/j.engstruct.2025.121821).
4. Mandal, R., Panda, S. K. and **Nayak, S. (2025)**, “Rheological characterisations of sulfate-resisting Portland cement concrete with different degrees of workability”, **Magazine of Concrete Research, Emerald Publishing (ICE Publishing)**, 77 (23-24), 1337–1350, DOI: [10.1680/jmacr.25.00120](https://doi.org/10.1680/jmacr.25.00120).
5. Ranjan, N., Banerjee, S., **Nayak, S.**, Kodur, VKR, and Das, S. (2025), “Shaking table tests of one and two story masonry building models seismically augmented with plastic waste reinforced cementitious composite” **Structures, Elsevier**, 76, 109015, DOI: [10.1016/j.istruc.2025.109015](https://doi.org/10.1016/j.istruc.2025.109015).
6. Ranjan, N., **Nayak, S.** and Das, S. (2025), “Durability assessment of masonry specimens built with waste fibre added cementitious composite in acidic environment”, **European Journal of Environmental and Civil Engineering, Taylor & Francis**, 29 (10), 2157-2176, DOI: [10.1080/19648189.2025.2477073](https://doi.org/10.1080/19648189.2025.2477073).
7. Ranjan, N., **Nayak, S.**, Bhattacharya, S. and Das, S. (2025), “Seismic safety enhancement of 1:3 scaled-down two-story masonry buildings models built with agro and textile waste fibre-strengthened cementitious composites subjected to uni-directional shaking table test”, **Journal of Earthquake Engineering, Taylor & Francis**, 29(8), 1724-1752, DOI: [10.1080/13632469.2025.2475810](https://doi.org/10.1080/13632469.2025.2475810).
8. Junias, J., Ranjan, N., and **Nayak, S. (2025)**, “A systematic review of structural performance and failure trends of impact on low-rise masonry dwellings: Current trends and way forward” **Structures, Elsevier**, 71, 107988, DOI: [10.1016/j.istruc.2024.107988](https://doi.org/10.1016/j.istruc.2024.107988).
9. Mandal, R., Panda, S. K. and **Nayak, S. (2025)**, “Influence of two-stage mixing approach on thixotropic behavior of self-compacting recycled aggregate concrete”, **Journal of Materials in Civil Engineering, ASCE**, 37(3): 04025017, DOI: [10.1061/JMCEE7.MTENG-18447](https://doi.org/10.1061/JMCEE7.MTENG-18447).
10. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2024), “Upgrading seismic safety of masonry building models built using recycled waste fiber-reinforced mortar through uni-axial shake table testing”, **Structures, Elsevier**, 65, 106624, DOI: [10.1016/j.istruc.2024.106624](https://doi.org/10.1016/j.istruc.2024.106624).

11. Tudu, C., Mohanty, M., Mohapatra, S. S. and **Nayak, S. (2024)** “A systematic review exploring the feasibility of waste plastic as different constituents towards sustainable concrete” **Construction and Building Materials**, Elsevier, 428, 136210, DOI: [10.1016/j.conbuildmat.2024.136210](https://doi.org/10.1016/j.conbuildmat.2024.136210).
12. Mandal, R., Panda, S. K. and **Nayak, S. (2024)**, “Evaluation of rheological properties of sustainable self-compacting recycled aggregate concrete produced by two-stage mixing approach”, **Journal of Building Engineering**, Elsevier, 87, 109126, DOI: [10.1016/j.jobbe.2024.109126](https://doi.org/10.1016/j.jobbe.2024.109126).
13. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2024), “Seismic safety evaluation of coir and nylon fiber-reinforced masonry building models subjected to bi-axial shaking table test”, **Journal of Building Engineering**, Elsevier, 85, 108767, DOI: [10.1016/j.jobbe.2024.108767](https://doi.org/10.1016/j.jobbe.2024.108767).
14. Sarkar, S., Chakraborty, S. and **Nayak, S. (2024)**, “ANN-based axial strength prediction of short columns with double and bar-reinforced concrete-filled steel tubes subjected to concentric and eccentric loading”, **Arabian Journal for Science and Engineering**, Springer, 49, 4947–4968, DOI: [10.1007/s13369-023-08285-8](https://doi.org/10.1007/s13369-023-08285-8).
15. Mokul, M. P., Mandal, R., **Nayak, S.** and Panda, S. K., (2023), “Efficacy of high-volume fly ash and slag on the physicommechanical, durability, and analytical characteristics of high-strength mass concrete”, **Journal of Building Engineering**, Elsevier, 76, 107295, DOI: [10.1016/j.jobbe.2023.107295](https://doi.org/10.1016/j.jobbe.2023.107295).
16. Mokul, M. P., Mandal, R., **Nayak, S.** and Panda, S. K., (2023), “Impact of slag-fly ash cementitious system on thermal controls and durability of high-strength mass concrete”, **Structural Concrete**, Wiley, 24(5), 6778-6797, DOI: [10.1002/suco.202300197](https://doi.org/10.1002/suco.202300197).
17. Mandal, R., Panda, S. K. and **Nayak, S. (2023)**, “Rheology of concrete: critical review, recent advancements, and future perspectives”, **Construction and Building Materials**, Elsevier, 392, 132007, DOI: [10.1016/j.conbuildmat.2023.132007](https://doi.org/10.1016/j.conbuildmat.2023.132007).
18. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2023), “Exploring applicability of recycled nylon fiber reinforced mortar in joints and plaster to enhance the bond strength, in-plane and out-of-plane capacity of masonry structures”, **Journal of Building Engineering**, Elsevier, 72, 106744, DOI: [10.1016/j.jobbe.2023.106744](https://doi.org/10.1016/j.jobbe.2023.106744).
19. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2023), “Waste polyethylene terephthalate (PET) fiber reinforced mortar in enhancing the bond behavior of masonry”, **Structures**, Elsevier, 53, 908-923, DOI: [10.1016/j.istruc.2023.04.097](https://doi.org/10.1016/j.istruc.2023.04.097).
20. Sarkar, S., Chakraborty, S. and **Nayak, S. (2023)**, “Identification of optimum reinforcement detailing using tuned CDP parameters in RC beam under drop-weight impact”, **Engineering Failure Analysis**, Elsevier, 146, 107116, DOI: [10.1016/j.engfailanal.2023.107116](https://doi.org/10.1016/j.engfailanal.2023.107116).
21. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2023), “Agro-waste fiber reinforced mortar for augmenting the performance of masonry structures”, **Construction and Building Materials**, Elsevier, 363, 129848, DOI: [10.1016/j.conbuildmat.2022.129848](https://doi.org/10.1016/j.conbuildmat.2022.129848).

22. Mandal, R., Panda, S. K., Kisku, N., Rajhans, P., Banerjee, S. and **Nayak, S. (2023)**, “Improvement of shear capacity of RAC beams by adopting identical mortar volume method of mix-design along with dual-stage mixing approach”, **European Journal of Environmental and Civil Engineering**, Taylor & Francis, 27(3), 1429-1445, DOI: [10.1080/19648189.2022.2083023](https://doi.org/10.1080/19648189.2022.2083023).
23. Mandal, R., Panda, S. K., **Nayak, S.** and Chakraborty, S. (2022), “Efficacy of pond ash (PA) combined with ground granulated blast furnace slag (GGBFS) in producing cement-less mortar”, **Structures**, Elsevier, 45, 748-757, DOI: [10.1016/j.istruc.2022.09.060](https://doi.org/10.1016/j.istruc.2022.09.060).
24. Ranjan, N., Banerjee, S., **Nayak, S.** and Das, S. (2022), “Efficacy of waste plastic towards enhancement of shear and flexure carrying capacity of masonry structures”, **Journal of Cleaner Production**, Elsevier, 365, 132669, DOI: [10.1016/j.jclepro.2022.132669](https://doi.org/10.1016/j.jclepro.2022.132669).
25. Mohanty, M., Mohapatra, S. S. and **Nayak, S. (2022)**, “Efficacy of C&D waste in base/subbase layers of pavement - current trends and future perspectives: a systematic review”, **Construction and Building Materials**, Elsevier, 340, 127726, DOI: [10.1016/j.conbuildmat.2022.127726](https://doi.org/10.1016/j.conbuildmat.2022.127726).
26. Banerjee, S., **Nayak, S.** and Das, S. (2021), “Adjudging efficacy of geonet reinforcement on the seismic performance of brick masonry structures: an experimental study”, **Materials and Structures**, Springer, 54(6):213, DOI: [10.1617/s11527-021-01805-8](https://doi.org/10.1617/s11527-021-01805-8).
27. Banerjee, S., **Nayak, S.** and Das, S. (2021), “Seismic performance enhancement of masonry building models strengthened with the cost-effective materials under bi-directional excitation”, **Engineering Structures**, Elsevier, 242, 112516. DOI: [10.1016/j.engstruct.2021.112516](https://doi.org/10.1016/j.engstruct.2021.112516).
28. Kisku, N., Rajhans, P., Panda, S. K., **Nayak, S.**, Pandey, V. (2020), “Development of durable concrete from C&D waste by adopting identical mortar volume method in conjunction with two-stage mixing procedure”, **Construction and Building Materials**, Elsevier, 256, 119361, DOI: [10.1016/j.conbuildmat.2020.119361](https://doi.org/10.1016/j.conbuildmat.2020.119361).
29. Banerjee, S., **Nayak, S.** and Das, S. (2020), “Augmenting the seismic performance of masonry models using polypropylene band and steel wire mesh through shaking table testing”, **Structures**, Elsevier, 26, 340-347, DOI: [10.1016/j.istruc.2020.04.027](https://doi.org/10.1016/j.istruc.2020.04.027).
30. Banerjee, S., **Nayak, S.** and Das, S. (2020), “Improving the in-plane behavior of brick masonry wallet using PP band and steel wire mesh”, **Journal of Materials in Civil Engineering**, ASCE, 32(6): 04020132, DOI: [10.1061/\(ASCE\)MT.1943-5533.0003159](https://doi.org/10.1061/(ASCE)MT.1943-5533.0003159).
31. Banerjee, S., **Nayak, S.** and Das, S. (2020), “Shear and flexural behaviour of unreinforced masonry wallet with steel wire mesh”, **Journal of Building Engineering**, Elsevier, 30, 101254, DOI: [10.1016/j.jobbe.2020.101254](https://doi.org/10.1016/j.jobbe.2020.101254).
32. Gupta, P. K., Rajhans, P., Panda, S. K. **Nayak, S.** and Das, S. K. (2020), “Mix design method for self compacting recycled aggregate concrete and its microstructural

investigation by considering adhered mortar in aggregate”, **Journal of Materials in Civil Engineering, ASCE**, 32(3): 04019371, DOI: [10.1061/\(ASCE\)MT.1943-5533.0003014](https://doi.org/10.1061/(ASCE)MT.1943-5533.0003014).

33. Kisku, N., Rajhans, P., Panda, S. K., Pandey, V., **Nayak, S. (2020)**, “Microstructural investigation of recycled aggregate concrete produced by adopting equal mortar volume method along with two stage mixing approach”, **Structures, Elsevier**, 24, 742-753, DOI: [10.1016/j.istruc.2020.01.044](https://doi.org/10.1016/j.istruc.2020.01.044).
34. Rajhans, P., Kisku, N., **Nayak, S.** and Panda, S. K. (2020), “Sustainable self compacting acid and sulphate resistance RAC by two stage mixing approaches”, **Advances in Concrete Construction, Techo Press**, 9(1), 55-70, DOI: [10.12989/acc.2020.9.1.055](https://doi.org/10.12989/acc.2020.9.1.055).
35. Rajhans, P., Chand, G., Kisku, N., Panda, S. K. and **Nayak, S. (2019)**, “Proposed mix design method for producing sustainable self compacting heat cured recycled aggregate concrete and its microstructural investigation”, **Construction and Building Materials, Elsevier**, 218, 568-581, DOI: [10.1016/j.conbuildmat.2019.05.149](https://doi.org/10.1016/j.conbuildmat.2019.05.149).
36. Rajhans, P., Gupta, P. K., Ranjan, R. K., Panda, S. K. and **Nayak, S. (2019)**, “EMV mix design method for preparing sustainable self compacting recycled aggregate concrete subjected to chloride environment”, **Construction and Building Materials, Elsevier**, 199, 705-716, DOI: [10.1016/j.conbuildmat.2018.12.079](https://doi.org/10.1016/j.conbuildmat.2018.12.079).
37. Banerjee, S., **Nayak, S.** and Das, S. (2019), “Enhancing the flexural behaviour of masonry wallet using PP band and steel wire mesh”, **Construction and Building Materials, Elsevier**, 194, 179-191, DOI: [10.1016/j.conbuildmat.2018.11.001](https://doi.org/10.1016/j.conbuildmat.2018.11.001).
38. Heydariha, J. Z., Ghaednia, H., **Nayak, S.**, Das, S., Bhattacharya, S. and Dutta, S. C. (2019), “Experimental and field performance of PP band-retrofitted masonry: evaluation of seismic behavior”, **Journal of Performance of Constructed Facilities, ASCE**, 33(1): 04018086, DOI: [10.1061/\(ASCE\)CF.1943-5509.0001233](https://doi.org/10.1061/(ASCE)CF.1943-5509.0001233).
39. Rajhans, P., Panda, S. K. and **Nayak, S. (2018)**, “Sustainability on durability of self compacting concrete from C&D waste by improving porosity and hydrated compounds: A microstructural investigation”, **Construction and Building Materials, Elsevier**, 174, 559–575, DOI: [10.1016/j.conbuildmat.2018.04.137](https://doi.org/10.1016/j.conbuildmat.2018.04.137).
40. Rajhans, P., Panda, S. K. and **Nayak, S. (2018)**, “Sustainable self compacting concrete from C&D waste by improving the microstructures of concrete ITZ”, **Construction and Building Materials, Elsevier**, 163, 557-570, DOI: [10.1016/j.conbuildmat.2017.12.132](https://doi.org/10.1016/j.conbuildmat.2017.12.132).
41. Kisku, N., Joshi, H., Ansari, M., Panda, S. K., **Nayak, S.** and Dutta, S. C. (2017), “A critical review and assessment for usage of recycled aggregate as sustainable construction material”, **Construction and Building Materials, Elsevier**, 131, 721-740, DOI: [10.1016/j.conbuildmat.2016.11.029](https://doi.org/10.1016/j.conbuildmat.2016.11.029).
42. **Nayak, S.** and Dutta, S. C. (2016), “Improving seismic performance of masonry structures with openings by polypropylene bands and L-shaped reinforcing bars”,

Journal of Performance of Constructed Facilities, ASCE, 30 (2): 04015003, DOI: [10.1061/\(ASCE\)CF.1943-5509.0000733](https://doi.org/10.1061/(ASCE)CF.1943-5509.0000733).

43. Dutta, S. C., **Nayak, S.**, Acharjee, G., Panda, S. K. and Das, P. K. (2016), “Gorkha (Nepal) earthquake of April 25, 2015: Actual damage, retrofitting measures and prediction by RVS for a few typical structures”, **Soil Dynamics and Earthquake Engineering, Elsevier, 89, 171-184, DOI: [10.1016/j.soildyn.2016.08.010](https://doi.org/10.1016/j.soildyn.2016.08.010).**
44. **Nayak, S.** and Dutta, S. C. (2016), “Failure of masonry structures in earthquake: a few simple cost effective techniques as possible solutions”, **Engineering Structures, Elsevier, 106, 53-67, DOI: [10.1016/j.engstruct.2015.10.014](https://doi.org/10.1016/j.engstruct.2015.10.014).**
45. Revanth D., Akshay B., **Nayak, S.** and Dutta, S. C. (2016), “Improving resistance of masonry structures to tsunami loading”, **Journal of The Institutions of Engineers (India): Series A, Springer, 97(2), 133-145, DOI: [10.1007/s40030-016-0155-1](https://doi.org/10.1007/s40030-016-0155-1).**
46. Dutta, S. C., Mukhopadhyay, P., Saha, R. and **Nayak, S.** (2015), “2011 Sikkim Earthquake at Eastern Himalayas: Lessons learnt from performance of structures”, **Soil Dynamics and Earthquake Engineering, Elsevier, 75, 121-129, DOI: [10.1016/j.soildyn.2015.03.020](https://doi.org/10.1016/j.soildyn.2015.03.020).**
47. **Nayak, S.**, Reddy, M. H. O., Madhavi, R. and Dutta, S. C. (2014), “Assessing tsunami vulnerability of structures designed for seismic loading”, **International Journal of Disaster Risk Reduction, Elsevier, 7, 28-38, DOI: [10.1016/j.ijdr.2013.12.001](https://doi.org/10.1016/j.ijdr.2013.12.001).**
48. Bhattacharya, S., **Nayak, S.** and Dutta, S. C. (2014), “A critical review of retrofitting methods for unreinforced masonry structures”, **International Journal of Disaster Risk Reduction, Elsevier, 7, 51-67, DOI: [10.1016/j.ijdr.2013.12.004](https://doi.org/10.1016/j.ijdr.2013.12.004).**
49. Dutta, S. C., **Nayak, S.** and Dinakar, P. (2014), “Lateral period and seismic vulnerability of masonry building”, **Structures and Buildings, ICE Publishing, 167, SB11, 633–645, DOI: [10.1680/stbu.12.00043](https://doi.org/10.1680/stbu.12.00043).**
50. **Nayak, S.**, Dutta, S. C. and Dinakar, P. (2012), “Dynamic characteristics of masonry walls”, **The IUP Journal of Structural Engineering, 5(1), 33-53.**

Book Chapter [01]

1. Ranjan, N., **Nayak, S.**, Das, S. (2025). “Seismic safety evaluation of two-story masonry building built using waste fiber-reinforced mortar through shake table testing”. In: Maheshwari, B.K., Sarkar, R., Kumar, A. (eds) Seismic Design and Performance of Structures, Soil-Structure Interaction. ICORAGEE 2024. Lecture Notes in Civil Engineering, vol 567. pp. 37-49 Springer, Singapore. https://doi.org/10.1007/978-981-96-2096-8_4.

Conferences [11]

1. Mandal, R., Panda, S. K., **Nayak, S. (2023)**, “Rheology of self-compacting concrete: A critical review and future perspective”, *International UKIERI Concrete Congress, 14th - 17th March 2023, Paper ID: UCC-2023-403, NIT Jalandhar.*
2. Mandal, R., Panda, S. K., **Nayak, S. (2023)**, “Evaluation of the rheological properties of self-compacting recycled aggregate concrete”, *International UKIERI Concrete Congress, 14th - 17th March 2023, Paper ID: UCC-2023-404, NIT Jalandhar.*
3. Mokul, M. P., Mandal, R., **Nayak, S.**, Panda, S. K., (2023), “Efficacy of fly ash and slag in controlling the heat of hydration, strength, and durability of mass concrete”, *International Conference on Climate Resilient Construction and Building Materials (ICCRCBM – 2023), March 3rd – 5th, 2023, Paper ID: CRCBM_129, NIT Karnataka, Surathkal.*
4. Kumar, P. Banerjee, S. and **Nayak, S. (2019)**, “Seismic vulnerability assessment of masonry structures: A computational approach”, *The Sixteenth International Conference on Civil, Structural & Environmental Engineering Computing & Fifth International Conference on Soft Computing & Optimisation in Civil, Structural and Environmental Engineering, 16th -19th September, 2019, Riva del Garda, Lake Garda, Italy.*
5. Banerjee, S., **Nayak, S.**, Das, S. (2018), “Cost effective retrofitting techniques for enhancing seismic behaviour of unreinforced masonry buildings”, *16SEE, 20-22nd December, 2018, IIT Roorkee, Uttarakhand, India, Paper No. 92.*
6. Banerjee, S., **Nayak, S.**, Das, S. (2018), “Experimental study on in-plane behaviour of masonry wall strengthened with steel wire mesh”, *SEC-2018, 19-21st December, 2018, Jadavpur University, West Bengal, India.*
7. **Nayak, S.**, Banerjee, S. and Das, S. (2018), “Augmenting out-of-plane behaviour of masonry wallet using PP-band and steel wire mesh”, *14th International Conference on Concrete and Technology (CONCET- 2018), 8th to 9th August, 2018, University of Malaya, Kuala Lumpur, Malaysia, IOP Conf. Series: Materials Science and Engineering 431 (2018) 072003, DOI: 10.1088/1757-899X/431/7/072003.*
8. Banerjee, S., **Nayak, S.** and Das, S. (2018), “Enhancing shear capacity of masonry wallet using PP-band and steel wire mesh”, *14th International Conference on Concrete and Technology (CONCET- 2018), 8th to 9th August, 2018, University of Malaya, Kuala Lumpur, Malaysia, IOP Conf. Series: Materials Science and Engineering 431 (2018) 072004, DOI: 10.1088/1757-899X/431/7/072004.*
9. **Nayak, S.**, Dutta, S. C. and Dinakar, P.(2013), “Seismic behaviour of masonry walls with and without openings” *IWMSID, 7th-9th February,2013, SIF, IIT Bhubaneswar, Bhubaneswar, Odisha.*

- 10. Nayak, S., Kumar, V., Jindal, M., Dutta, S. C. and Dinakar, P. (2012), “Prediction of lateral strength of masonry walls” 9thCUEE and 4th ACEE, 6th-8thMarch, 2012, Tokyo, Japan, 2012, Paper ID: 07-141.**
- 11. Parhi, P. K. and Nayak, S. (2009), “Free vibration analysis of delaminated composite structures by finite element method”. *Proceeding-Golden Jubilee Session, Institution of Engineers*, 8thFeb 2009, Bhubaneswar.**